

A BREAKTHROUGH
IN DAILY
SCRUBBING
AND DRYING



THE ULTIMATE COMBINATION
OF INNOVATION, RELIABILITY-
& PERFORMANCE



REVOLUTIONARY DECK CONCEPT, A NEW BENCHMARK IN SMALL AREA CLEANING

The Nilfisk SC350 is not just another small scrubber dryer. It represents radical new thinking, and the kind of innovation only possible from an industry leader. The unique rotating deck concept, for example, integrates the squeegee into the deck itself. This enables scrubbing and drying in all directions - either forward or backwards, with the water kept inside the brush deck while working.

Cleaning becomes faster, better and easier. Plus, the superb compact design and excellent manoeuvrability allows access to hard-to-reach areas that other machines can't clean.

At Nilfisk, we don't just design products; we provide solutions that truly meet the needs of our customers.

- Best-in-class performance and the first compact unit to clean AND dry going either forwards or backwards.
- Cleans even hard-to-reach areas that are inaccessible to typical scrubber/dryers
- Low noise level enables daytime cleaning, even in noise-sensitive locations
- Optima batteries available: offering high productivity, constant performance, less weight, less lead and fast recharge capability
- Outstanding 27 kg of down pressure for excellent scrubbing effectiveness, the deck is easily adjusted as well, for a perfect traction control
- Ergonomic and effortless to use with virtually no operator training necessary
- Adjustable water flow feature with two optional settings
- All components are accessible quickly without the need for tools. Maintenance is fast and simple

” An on-board battery charger is standard on all versions. This saves time and maximizes productivity “



Thanks to the compact design and foldable handle, the SC350 is easy to transport and store, even when space is limited



The tanks can be removed quickly and easily, and can be filled, drained and cleaned away from the machine itself.



The innovative Rotating Deck concept is the key to outstanding scrubbing and drying performance. SC350 can work normally frontwards in all directions like a "normal" scrubber dryer. But as soon as it is required a quick change by the operator and the deck quickly rotates completely and the machine can be used backwards for scrub&dry operations as well. With the new rotating deck, even hard-to-reach areas become accessible.

RELIABILITY IS ALSO OUR MANTRA WHEN IT COMES TO SERVICE

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: four levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

24-HOUR SERVICE

Full Service+ Solution

A total coverage package offering four maintenance visits a year + service at a known fixed cost. Optimal for customers with a need for extensive daily cleaning. Labour, travel expenses, spares and parts are all included.

Full Service Solution

A package offering four maintenance visits a year + service. Ideal for customers who clean daily. Labour, travel expenses and spares are included.

Standard Service Solution

This package provides two preventative maintenance visits a year. Labour and travel expenses are included.

Subscription Solution

By entering the subscription contract, the customer agrees to a minimum of one maintenance visit per year.

Foldable/adjustable handle makes transport and storage easy



On-board battery charger as standard



The brush and squeegee blades can be easily changed without the use of tools.



Two knobs beneath the tanks allow simple adjustment of the deck angle for more effective brush assistance and cleaning



Simple to use control panel has three operating-mode options



Transparent lid; easy to remove, complete control



The tanks can be removed quickly and easily



Integrated squeegee allows forward or backwards cleaning

TECHNICAL SPECIFICATIONS

Description	Unit	SC350
Voltage	V	12
Rated power	W	450
Sound pressure level at 1.5m	dB(A)	64
Productivity rate theoretical/ actual	m ² /h	1480/890
Scrubbing width	mm	370
Max speed	km/h	4
Solution/recovery tank	litre	11/11
Brush/pad diameter	mm	370
Brush pressure	kg	27
Brush speed	rpm	140
Length x width x height (machine body)	cm	73x43.5x47
Weight	kg	42
Operating weight	kg	72

Specifications and details are subject to change without prior notice.