

### 아쿠아 크린 유리창 세척기 \$14,362.50

Tap the Power

of the Purest

Water in the

World.





### The Aquaclean System

#### Pure Water Technology. Why Use Anything Else?

Aquaclean's Pure Water Technology turns ordinary tap water into the purest water in the world, creating a powerful cleaning agent that leaves surfaces spot free without water softeners or cleaning agents.

**Stage 1.** Tap water flows into the first Polypropylene filter which filters suspended solids to 5 microns.


Stage 2. 4 1/2" x 10" Granulated Activated Carbon/KDF Prefilter begins the anti-scaling process and removes chlorine in the water supply.

tage 3. 3/4" diameter 5-10 GPM Anti-Scaling Device suspends calcium, causing scale not to stick to Reverse Osmosis Unit.

Stage 4. Reverse Osmosis
Membrane separates water and
removes 92% to 95% of total
dissolved solids.

Stage 5. The De-Ionization Cartridge removes the remaining total dissolved solids, producing water that is 99.99% pure.





- 75% Faster Than Conventional Cleaning Methods – Increases Profitability
- Non-Electrical Fill Operation
- Eliminates Need to Find Water or Drag Hoses
- · Ability to Quickly Purify Water on Site
- No Soaps or Chemicals, Environmentally Friendly
- Surface Dries Spot Free in Any Weather Condition – Even Direct Sunlight

- Cleans Glass, Frames, Awnings, Facades & Signs
- Self-Contained Pump Simultaneously Delivers Pure Water to Two Poles up to 300 Feet Apart
- Lightweight Interchangeable Cartridges are Easily Replaced and Maintained
- Lasts 10 Times Longer Than Standard DI Tanks
- Limited Warranty
- Customize System for Various Applications

### Trolley Mounted System

Aquaclean Advanced Pure Water Technology

#### Model #90006

5 Stage Water Treatment System Includes:

- 5 Micron Filter with 10" housing
- Carbon/KDF Pretreatment Filter with 10" housing
- Anti-Scaling Device
- RO Membrane with housing
- Polyethylene holding tank 42 gallons
- De-Ionization Cartridge
- Hose reel with 150 ft of yellow hose each
- Frame reflex blue powder coated 45" long x 30" wide x 46" high
- 12 volt switched pump

#### **OPERATING SPECIFICATIONS**

Space Requirements

45" long, 30" wide, 46" high

Weight (empty)

200 lbs.

Weight (full)

536 lbs.

**Electrical Requirements** 

12VDC 60 AMP Battery (included) 115 VAC 6AMP Battery Charger

(not included)

Tap Water Requirements

Minimum PSI 60 lbs.

Maximum PSI 120 lbs.

Drainage

Drain near location (when Pure

Water is being produced)

Systems pre-tested and ready to use.

#### Turnkey Package Also Includes:

	MODEL#	DESCRIPTION	MAX HEIGHT (ft.)	ACTUAL LENGTH (ft.)	WEIGHT (lbs.)
1 ea	92452 CFD	6-8' Sections, Carbon-Fiber	45	46	18
1 ea	92352 CFD	6-6' Sections, Carbon-Fiber	35	34	14
1 ea	91101 GFS	6-3' Sections, Fiberglass	10	9	4
1 ea	93012	Handheld Monitor			
3 ea	93008	DI Cartridge			
1 ea	T00124	18" Brush			
1 ea	ME	Instructions/ Oper. Manual			

\*All poles shipped with head and hose assembly.

**E**TTOR E


FCHNOLOG



AQUACLEAN



## AQUACLEAN VAN MOUNTED SYSTEM



Aquaclean's stateof-the-art filtration system turns tap water into a powerful cleaning agent, eliminating the need for soap or chemicals.



#### **Totally Self-Contained**

No Need to Locate Water or Drag Hoses Non-Electrical Fill Operation Easy to Read Gauges for Quality Control Interchangeable Filter System 200 Gallon Holding Tank Low Maintenance

- 75% Faster Than Conventional Cleaning Methods – Increases Profitability
- Quickly Purifies Water on Site
- Turnkey Package Includes 3/4 Ton or 1 Ton GMC Savanah Van
- Installs In Any Vehicle That Meets **Dimensional & Weight Limits**
- Flexible Leasing Program

### Van Mounted System

Aquaclean Advanced Pure Water Technology

#### Model #90007

5 Stage Water Treatment System Includes:

- 5 Micron Filter with 10" housing
- Carbon/KDF Pretreatment Filter with 10" housing
- Anti-Scaling Device
- RO Membrane with housing
- Polyethylene holding tank 200 gallons
- De-Ionization Cartridge
- 2 hose reels with 150 ft of yellow hose each
- Frame reflex blue powder coated 51" long x 40" wide x 37" high
- 12 volt switched pump

#### **OPERATING SPECIFICATIONS**

Space Requirements

51" long, 40" wide, 37" high

Weight (empty)

300 lbs.

Weight (full)

1900 lbs.

**Electrical Requirements** 

Connected to vehicle's electrical system

Tap Water Requirements

Minimum PSI 60 lbs. Maximum PSI 120 lbs.

Drainage

Drain near location (when Pure

Water is being produced)

Systems pre-tested and ready for installation. Installation Requirements: Securing frame to vehicle and wiring pump to vehicle battery.

#### Turnkey Package Also Includes:

	MODEL#	DESCRIPTION	MAX HEIGHT (ft.)	ACTUAL LENGTH (ft.)	WEIGHT (lbs.)
1 ea	92452 CFD	6-8' Sections, Carbon-Fiber	45	46	18
1 ea	92352 CFD	6-6' Sections, Carbon-Fiber	35	34	14
1 ea	91101 GFS	6-3' Sections, Fiberglass	10	9	4
1 ea	93012	Handheld Monitor			
3 ea	93008	DI Cartridge			
1 ea	T00124	18" Brush			
1 ea	REV	Instructions/ Oper. Manual			

\*All poles shipped with head and hose assembly.

**ETTORE** 

FCHNOLOG



AQUACLEAN



### AQUACLEAN

## CARBON-FIBER POLES


We've Taken Pole Technology to A Whole New Level.

Superior strength and lightweight construction allow for easier handling and more accurate cleaning without the need for ladders.

And with less physical demand, effective cleaning time becomes more efficient with less fatigue.

The Aquaclean
Carbon-Fiber Pole
is constructed of a
Spun-fiber that is
lighter and stiffer
than conventional
poles. And all
Aquaclean poles
feature quickrelease finger tip
clamping systems
that eliminate the
need for tools and
ensure perfect
locking force.






- 12% Lighter & 40% Stiffer Than Fiberglass
- Lightweight Pole Allows for Longer Cleaning Time with Less Fatigue
- Provides Accurate Cleaning Beyond 40' Without the Need for Ladders
- Durable Carbon Construction Won't Bend or Dent
- Finger Tip Clamping System, No Tools Required
- Comfortable in Cold Weather Conditions
- Includes Head Assembly & 12" Nylon Brush
- Limited 90 Day Parts & Labor Warranty



# FIBERGLASS POLES



Aquaclean poles feature quick-release finger tip clamping systems that eliminate the need for tools and ensure perfect locking force.




- 75% Faster Than Conventional Cleaning Methods Increases Profitability
- Extended Reach Eliminates the Need for Ladders
- Durable Fiberglass Construction Won't Bend or Dent
- Finger Tip Clamping System, No Tools Required
- Comfortable in Cold Weather Conditions
- Includes Head Assembly & 12" Nylon Brush

### FIBERGLASS COMPOSITE POLES

Aquaclean Advanced Pure Water Technology

SINGLE HOSE (Model # )	MAX HEIGHT (ft.)	NUMBER OF SECTIONS	SECTION LENGTHS (ft.)	WEIGHT (lbs.)
91101 GFS 91201 GFS 91241 GFS 91301 GFS 91321 GFS 91401 GFS	10 20 24 30 32 40	3 5 3 5 4 5	3 4 8 6 8 8	4 8 9 11 12 15
DUAL HOSE (Model # )	MAX HEIGHT (ft.)	NUMBER OF SECTIONS	SECTION LENGTHS (ft.)	WEIGHT (lbs.)

All poles are shipped with a 12" brush. 18" brush can be substituted. *As with all poles, extreme care must be taken while working near water and electricity.* 



Simply swing quick-release finger tip clamp to extend or contract pole. And there's no need for tools to ensure a perfect locking force.



tllORt

ECHNOTOR



AQUACLEAN

