PRODUCT NAME: Escalator Tread Spot Cleaner MSDS No. 366, Revision 5 DOT Hazard Classification: ORM-D NOTICE: UDIGEMENT BASED ON INDIRECT TEST DATA



SECTION I: PRODUCT INFORMATION		
MANUFACTURED FOR CleanMaster	EMERGENCY TELEPHONE NUMBER 1-800-255-3924	
ADDRESS 11015 47th Avenue W	TELEPHONE NUMBER FOR INFORMATION (404) 422-2071 or (425) 775-7272	
Mukilteo, WA 98275-5019	DATE PREPARED January 1, 2004	

SECTION II: MATERIAL IDENTIFICATION AND INFORMATION

CHEMICAL AND COMMON NAME (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	SARA III LIST	PEL-WISH/OSHA	TLV-ACGICH	CARCINOGEN REF. SOURCE*
Trichloroethylene (CAS #79-01-6)	Yes	50	50	b

WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.

Chemical listed as carcinogen or potential carcinogen: (a) NTP, (b) LARC Monograph, *OSHA, (d) Not Listed, (e) Animal Data Only.

N/A

BOILING POINT (DEG. F):

SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

VAPOR DENSITY (AIR=1):	Not Est.	EVAPORATION RATE (n-butyl a	cetate=1): 2.1 (concentrate only)
SOLUBILITY IN WATER:	Insoluble	WATER REACTIVE	No
APPEARANCE/ODOR: Clear, colo	rless spray with chlorinated	solvent odor.	

SPECIFIC GRAVITY (H2O=1):

SECTION IV: FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (non-aerosols): N/A	EXTINGUISHING MEDIA: Foam, dry chemical and CO ₂
AUTO IGNITION TEMP.: Not Est.	FLAMMABILITY AS PER USA FLAME PROJ. TEST (acrosols): Non-Flammable

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Do not expose aerosols to temperatures above 130° F or the container may rupture.

% LEL - Not Est. % UEL - Not Est. FLAMMABLE LIMITS IN AIR BY % IN VOLUME:

or forth herein are believed to be accurate as of the date hereof, wa MAKE DISCLAIM ALL LIABILITY FROM RELIANCE THEREON. This form compiles 29 CFR 1910.1200. Standard must be consulted for specific While this information and recommendations set for NO WARRANTY WITH RESPECT HERETO AND DIS with OSHADS Hazard Communication Standard, 29

Concentrate Only = 1.45

MSDS, PAGE 2 PRODUCT NAME: Escalator fread apol Cleaner SECTION V: REACTIVITY HAZARD DATA

WORK/HYGIENIC PRACTICES:

UNSTABLE STABLE X CONDITIONS TO AVOID: None

UNSTABLE	STABLE	1	CONDITIONS TO AVOID: None
AVOID): Reactive metal	ls, aluminum, magnesiu	m, stro	ng oxidizing agents.
YPRODUCTS: CO, CO	2, HCI, small amounts	of phos	
MAY OCCUR	WON'T OCCUR	x	CONDITIONS TO AVOID: Open flame, welding arcs, heat.
	AVOID): Reactive metal	AVOID): Reactive metals, aluminum, magnesiu SYPRODUCTS: CO, CO ₂ , HCI, small amounts	AVOID): Reactive metals, aluminum, magnesium, stronyPRODUCTS: CO, CO ₂ , HCI, small amounts of phos

HAZARDOUS PO	LYMERIZATION:	MAY OCCUR	WON'T OCCUR	X	welding arcs, neat.
		SECTION VI: H	EALTH HAZARD	DAT	A
PVDOCTIPE /	Shin. Week thorough	ly with soan and water	5 minutes. If irritated, so If irritated, seek medic wo large glasses of water.	al atter	dical attention. ntion. mmediate medical attention.

FIRST AID: Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention. HEALTH HAZARDS (ACUTE):

Eyes: Irritation.

Skin: Irritation due to defatting of skin.

Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.

Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.

(Effects due to excessive exposure to the raw materials of this mixture.) May cause liver abnormalities, kidney, spleen, lung or brain damage, cardiac abnormalities. Perchlorocthylene has been shown to increase the rate of spontaneously occurring malignant tumors in certain laboratory rats and mice. HEALTH HAZARDS (CHRONIC):

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE May aggravate existing eye, skin, or upper respiratory conditions.

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:	Absorb with suitable medium. Incinerate or remove to landfill according to local, state or Federal regulations. Allow evaporate if small spill. Do not flush to sewer.
WASTE DISPOSAL METHOD:	Acrosol cans, when vented to atmospheric pressure through normal use, pose no disposal hazard.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:	Do not puncture or incinerate containers. Do not store at temperatures above 130°F.
OTHER PRECAUTIONS:	Keep away from children. Avoid food contamination. Avoid inhalation of vapors.

SECTION VIII: CONTROL MEASURES

RESPIRATORY PROTECTION:	If vapor concentration exceeds TLV, use respirator approved by US Bureau of Mines for organic vapor.
VENTILATION:	Adequate ventilation to keep concentration below TLV.
PROTECTIVE GLOVES:	Neoprene gloves recommended.
EYE PROTECTION:	Safety glasses recommended.

Wash with soap and water before handling food. Remove contaminated clothing.